



- Key**
- G1 Category A - trees of high quality and value
 - G11 Category B - trees of moderate quality and value
 - T1 Category C - trees of low quality and value
 - H12 Category U - trees of unsuitable for retention
 - T129-B: Tree is not identified on TPO, therefore, location of the tree is not accurate
 - T129-B: Group of trees / hedge
 - T129-B: Root protection area (RPA) **RPAs relating to trees/groups to be removed are to be ignored**
 - T129-B: Trees to be removed
 - T129-B: Tree protective barriers
 - T129-B: Construction Exclusion Zone - area requiring a special consideration - refer to report

This drawing was produced in colour - a monochrome copy should not be relied upon. Contractors must check all dimensions on site. Any discrepancies must be reported to the arboricultural consultant before proceeding. ©SES 2016

Sudbury Staples Downham,
Essex CM11 1LH
Phone: 01268 721021
Website: www.ses-eco.co.uk

Rev	Update	Date
A	Issue Amendment	03.03.2017
B	North West section added	09.03.2017
C	Action amendments	06.06.2017
D	Levels amendments	14.06.2017
E	Update the key of the RPA	19.06.2017

Site	Adastral Park
Client	CEG
Drawing title	Tree Survey & Protection Plan Sheet 2 of 5
Drawing no.	2
Scale	1:1000@A0
Date	19.06.17
Revision	E
Drawn by	AD
Checked by	