



- Key**
- G1 Category A - trees of high quality and value
  - G1: Category B - trees of moderate quality and value
  - T1 Category C - trees of low quality and value
  - H12 Category U - trees of unsuitable for retention
  - T129-B: Tree is not identified on TDPO, therefore, location of the tree is not accurate
  - T129-B: Group of trees / hedge
  - T152-J: Root protection area (RPA) \*\*RPAs relating to trees/groups to be removed are to be ignored\*\*
  - T151-U: Trees to be removed
  - Tree protective barriers
  - Construction Exclusion Zone - area requiring a special consideration - refer to report

This drawing was produced in colour - a monochrome copy should not be relied upon. Contractors must check all dimensions on site. Any discrepancies must be reported to the arboriculture consultant before proceeding. ©SES 2016

Sudbury Stables Downham, Essex CM11 2LR  
 Phone: 01268 721021  
 Website: www.ses-eco.co.uk

Rev	Update	Date
A	Issue Amendment	03.03.2017
B	North West section added	09.03.2017
C	Issue amendments	26.06.2017
D	Levels amendments	14.06.2017
E	Update the key of the RPA	19.06.2017

Site	Austral Park	
Client	CEG	
Drawing title	Tree Survey & Protection Plan Sheet 2 of 5	
Drawing no.	2	Scale 1:1000@A0
Revision	E	Date 19.06.17
Drawn by	AD	Checked by